

# PRODUCT CATALOGUE

Floor Drains, Roof Drains & Cleanouts



#### Introduction

It gives me great pleasure to present you with the latest edition of our products catalogue.

Our focus has not changed since the early days. The aim back then, as it is today, was to provide our customers with quality products, at the right price. This simple formula has made us the market leaders in the drainage industry in our home market, and a serious contender in regional and international markets.

In this catalogue you will find our full range of drainage products. Within the "Drainage" section you will find floor, roof drains and cleanouts under our trademark "CRFDrain".

All of these elements guarantee a quality product and a superior level of customer service.

We thank you for your support, and we look forward to serving you

# S.K. EXPORT HOUSE

**SINCE 2002** 

Galshaheed, Pukhta Bagh, Ansari Chowk, Moradabad-244001, U.P. INDIA

Cell: +91-9837246748

Email: <a href="mailto:skexporthouse@gmail.com">skexporthouse@gmail.com</a> web: <a href="mailto:www.skexporthouse.com">www.skexporthouse.com</a>

# **TABLE OF CONTENTS**

• Roof Drains	7
• Floor Drains	53
• Cleanouts	108



# **DRAINS**



#### A. Roof Drains

	Scupper / Parapet Types	9
	2. Small Sump Types	16
	3. Deep Sump Types	21
	4. Large Sump Types	29
	5. Promenade / Deck Types	37
	6. Roof Deck Indirect Waste Receptor	41
	7. Gutter / Cornice Type	43
	8. Roof Accessories	47
B. 1	Floor Drains	71
	Finished Interior - One Inlet	55
	2. Indirect Waste Drain	64
	3. Finished Interior - Multiple Inlets	71
	4. Trap Drains	76
	5. Area Drains	80
	6. Planting Drain	97
	7. Strainer - Finished Floor Drains	100
C.	Cleanouts	
	1. Finished Floor Cleanouts	109
	2. Area Cleanouts	116
	3. Recessed Cleanouts	119
	4. Wall Cleanouts	
		121
	5. Tee Cleanouts	125




# ROOF DRAINS, FLOOR DRAINS & CLEANOUTS




www.skexporthouse.com

# Selected Cross-Sectional Installation Drawings





Α



An Illustration and a cross-sectional view of a scupper roof drain showing tiling, insulation, gravel, and waterproofing. It also shows the connection to main drain line

# ROOF DRAINS

# SUB INDEX

#### Scupper / Parapet Type















#### Small Sump Type











#### Deep Sump Type

















#### Large Sump Type

RD-3180



RD-3180G



RD-3180GX



**RD-3180EX** 



**RD-3180GEX** 



Roof Deck Indirect Waste Receptor

RD-3180EXGX



RD-31800F



RD-3180EXOF



RD-3170R



RD-3170S



Promenade or Deck

RD-3190



**RD-3190EX** 



RD-3230



RD-3240



**Gutter / Cornice** 

RD-3250H



RD-3250V



RD-3250HG



RD-3250VG



Roof Accessories

RD-7110



RD-7120



RD-7130



RD-7140



RD-7150



RD-7160





**DRAINS CATALOGUE** 

8


**Specification:** RD-3110 series of scupper drains consist of cast iron body with 'reversible' horizontal or vertical, outlet, a removable 90° aluminum angle grate and membrane flashing clamp.



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3112	Threaded	2"	21000
RD-3113	Threaded	3"	21000
RD-3114	Threaded	4"	21000

ltem	Material	Option
Body	Cast Iron	
Clamp	Aluminum	Nickel - Bronze
Grate	Aluminum	Nickel -Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-3120 series of scupper drains consist of cast iron body with 'reversible' horizontal or vertical, outlet, a removable 45° aluminum angle grate and membrane flashing clamp.



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3122	Threaded	2"	21000
RD-3123	Threaded	3"	21000
RD-3124	Threaded	4"	21000

ltem	Material	Option
Body	Cast Iron	
Clamp	Aluminum	Nickel - Bronze
Grate	Aluminum	Nickel -Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-3130 series of scupper drains consist of cast iron body with 45° outlet, a removable 90° aluminum angle grate and membrane flashing clamp.



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3132	Threaded	2"	21000
RD-3133	Threaded	3"	21000
RD-3134	Threaded	4"	21000

ltem	Material	Option
Body	Cast Iron	
Clamp	Aluminum	Nickel - Bronze
Grate	Aluminum	Nickel -Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-3140 series of scupper drains consist of cast iron body with 45° outlet, a removable 45° aluminum angle grate and membrane flashing clamp.



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3142	Threaded	2"	21000
RD-3143	Threaded	3″	21000
RD-3144	Threaded	4"	21000

Item	Material	Option
Body	Cast Iron	
Clamp	Aluminum	Nickel - Bronze
Grate	Aluminum	Nickel -Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3200 series of scupper drains consist of cast iron body with 'reversible' horizontal or vertical, outlet, a removable 45° aluminum angle grate and membrane flashing clamp.


### RD-3200 (Special Item)



Model Number	Outlet Type	Outlet size	Water Way Area (mm²)
RD-3202	Spigot	2"	10000
RD-3203	Spigot	3"	10000
RD-3203S	Spigot	75 mm	10000
RD-3204	Spigot	4"	10000

Item	Material	Option
Body	Cast Iron	
Clamp	Aluminum	
Grate	Aluminum	
Finish (C.I Parts)	Bitumen Coating	Powder Coating Epoxy Coating






**Specification:** RD-3203T series of scupper drains consist of cast iron body with 'reversible' horizontal or vertical, outlet, a removable 45° aluminum angle grate and membrane flashing clamp.


#### RD-3203T (Special Item)



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3203T	InternalThreaded	3″	10000

ltem	Material	Option
Body	Cast Iron	
Clamp	Aluminum	
Grate	Aluminum	
Finish (C.I Parts)	Bitumen Coating	Powder Coating Epoxy Coating






**Specification:** RD-3204T series of scupper drains consist of cast iron body with 'reversible' horizontal or vertical, outlet, a removable 45° aluminum angle grate and membrane flashing clamp.


#### RD-3204T (Special Item)



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3204T	External Threaded	4"	10000

ltem	Material	Option
Body	Cast Iron	
Clamp	Aluminum	
Grate	Aluminum	
Finish (C.I Parts)	Bitumen Coating	Powder Coating Epoxy Coating





# **Dome Type - Roof Drains**

**Specification:** RD-3150 series of roof drains consist of cast iron body with vertical outlet, a removable aluminum dome and membrane flashing clamp .


### RD-3150 (Special Item)



Model Number	Outlet Type	Outlet size	Water Way Area (mm²)
RD-3152	No Hub	2"	19700
RD-3153	No Hub	3″	<b>19</b> 700
RD-3153N	No Hub	75 mm	19700
RD-3154	No Hub	4"	19700
RD-3154N	No Hub	110 mm	19700

ltem	Material	Option
Body	Cast Iron	
Clamp	Aluminum	
Dome	Aluminum	
Finish (C.I Parts)	Bitumen Coating	Powder Coating Epoxy Coating





# **Small Sump - Roof Drains**


**Specification:** RD-3160 series of roof drains consist of a cast iron body with bottom outlet, a membrane clamp and a cast iron dome.



	WaterWay Area			
Cl1 ()	Options			(mm) <sup>2</sup>
Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
50	2"	2"	2"	30000
75	3″	3″	3″	30000
110	4"	4"	4"	30000
	50 75	Gasket (mm)  50 2"  75 3"	Gasket (mm)           50         2"         2"           75         3"         3"	Options           Gasket (mm)         Spigot (inch)         Threaded           50         2"         2"         2"           75         3"         3"         3"

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome	Cast Iron	Nickel - Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Small Sump-Roof Drains**

**Specification:** RD-3160G series of dome type roof drains consist of cast iron body with gasket type bottom outlet, membrane clamp with integral gravel stop, removable dome and stainless steel gravel guard.


#### **RD-3160G**



	Outlet Types				Water Way Area
Model Number		Options			(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3162G	50	2"	2"	2"	30000
RD-3163G	75	3″	3″	3″	30000
RD-3164G	110	4"	4"	4"	30000

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome	Cast Iron	Nickel - Bronze
<b>Gravel Guard</b>	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Small Sump - Roof Drains**

**Specification:** RD-3160GX series of roof drains consist of cast iron body with gasket type bottom outlet, membrane clamp with integral gravel stop, removable dome and stainless steel perforated extension.


#### **RD-3160GX**



	Outlet Types				WaterWay Area
<b>Model Number</b>	Cl ()	Options			(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3162GX	50	2"	2"	2"	30000
RD-3163GX	75	3″	3″	3″	30000
RD-3164GX	110	4"	4"	4"	30000

Item	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nicel - Bronze
Dome	Cast Iron	Nickel - Bronze
<b>Gravel Guard</b>	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Small Sump - Over Flow Roof Drains**

**Specification:** RD-3160OF series of dome type roof drains consist of cast iron body with gasket type bottom outlet, membrane high rise clamp and removable dome.


#### **RD-3160 OF**



	Outlet Types				WaterWay Area
<b>Model Number</b>	Carlest (man)	Options			(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-31620F	50	2"	2"	2"	30000
RD-31630F	75	3″	3″	3″	30000
RD-31640F	110	4"	4"	4"	30000

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome	Cast Iron	Nickel - Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-3260 series of general purpose roof drain consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, and a membrane flashing clamp with integral gravel stop.



		Outlet Types				
<b>Model Number</b>	Options  Gasket (mm)			WaterWay Area (mmj²		
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded		
RD-3262	50	2"	2"	2"	46100	
RD-3263	75	3″	3″	3″	46100	
RD-3264	110	4"	4"	4"	46100	
RD-3266	160	6"	6"	6"	46100	

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel Bronze
Dome	Cast Iron	Nickel Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3260G series of general purpose roof drain consist of a deep sump cast iron body with bottomoutlet, a removable cast iron or nickel bronze dome strainer, and a membrane flashing clamp with integral gravel stop and stainless steel perforated gravel guard.

#### **RD-3260G**




		WaterWay Area			
<b>Model Number</b>		Options			(mm)
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262G	50	2"	2"	2"	46100
RD-3263G	75	3″	3″	3″	46100
RD-3264G	110	4"	4"	4"	46100
RD-3266G	160	6"	6"	6"	46100

Item	Material	Option
Body	Cast Iron	
Clamp & Dome	Cast Iron	Nickel Bronze
Gravel Guard	Stainless Steel	

Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3260GX series of general purpose roof drain consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, a membrane flashing 2x clamp with integral gravel stop and stainless steel perforated extension.


#### **RD-3260GX**



		Outlet T	WaterWay Area (mm) <sup>*</sup>		
<b>Model Number</b>	Cacket (mm)	Options			
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262GX	50	2"	2"	2″	46100
RD-3263GX	75	3″	3″	3″	46100
RD-3264GX	110	4"	4"	4"	46100
RD-3266GX	160	6"	6"	6"	46100

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel Bronze
Dome	Cast Iron	Nickel Bronze
Gravel Guard	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3260EX series of general purpose roof drain consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, and a membrane flashing clamp with integral gravel stop and adjustable extension sleeve.

#### **RD-3260EX**




		Outlet 1	WaterWay Area		
<b>Model Number</b>	Gasket (mm)	Options			(mm) <sup>2</sup>
	Gasket (IIIII)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262EX	50	2"	2"	2″	46100
RD-3263EX	75	3″	3″	3″	46100
RD-3264EX	110	4"	4"	4"	46100
RD-3266EX	160	6"	6"	6"	46100

ltem	Material	Option
Body	Cast Iron	
Clamp & Dome	Cast Iron	Nickel Bronze
Extension Sleeve	Cast Iron	

Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3260GEX series of general purpose roof drain consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, a membrane flashing clamp with integral gravel stop, adjustable extension sleeve and stainless steel perforated gravel guard.


#### **RD-3260GEX**



		WaterWay Area (mm) <sup>2</sup>			
Model Number					
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262GEX	50	2"	2"	2"	46100
RD-3263GEX	75	3″	3″	3″	46100
RD-3264GEX	110	4"	4"	4"	46100
RD-3266GEX	160	6"	6"	6"	46100

ltem	Material	Option
Body	Cast Iron	
Extension	Cast Iron	
Clamp & Dome	Cast Iron	Nickel Bronze
<b>Gravel Guard</b>	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3260EXGX series of general purpose roof drain consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, a membrane flashing 2x clamp with integral gravel stop, adjustable extension sleeve, and stainless steel perforated extension.


#### **RD-3260EXGX**



		WaterWay Area			
<b>Model Number</b>	Gasket (mm)		Options		
	Gasket (IIIII)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262EXGX	50	2"	2"	2″	46100
RD-3263EXGX	75	3″	3″	3″	46100
RD-3264EXGX	110	4"	4"	4"	46100
RD-3266EXGX	160	6"	6"	6"	46100

Item	Material	Option
Body	Cast Iron	
Clamp & Dome	Cast Iron	Nickel Bronze
Extension Sleeve	Cast Iron	
<b>Gravel Guard</b>	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Deep Sump - Over FLow Roof Drain**

**Specification:** RD-3260OF series of roof drain with over flow consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, and integral combined standpipe type water dam and waterproofing membrane clamp.

#### **RD-32600F**




		WaterWay Area			
<b>Model Number</b>	Cooket (man)	Options			(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262OF	50	2"	2"	2"	46100
RD-32630F	75	3″	3″	3″	46100
RD-32640F	110	4"	4"	4"	46100
RD-3266OF	160	6"	6"	6"	46100

Item Material		Option
Body	Cast Iron	
Overflow Clamp Cast Iron		Nickel Bronze
<b>Dome</b> Cast Iron		Nickel Bronze

Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Deep Sump - Over Flow Roof Drain**

**Specification:** RD-3260EXOF series of roof drain with over flow consist of a deep sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, integral combined standpipe type water dam and waterproofing membrane clamp with integral gravel stop, and adjustable extension sleeve.


#### RD-3260EXOF



		WaterWay Area			
<b>Model Number</b>	Coalcat (man)	Options			(mm)
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
RD-3262EXOF	50	2"	2"	2"	46100
RD-3263EXOF	75	3″	3″	3″	46100
RD-3264EXOF	110	4"	4"	4"	46100
RD-3266EXOF	160	6"	6"	6"	46100

Item	Material	Option
Body	Cast Iron	
Extension	n Cast Iron	
Clamp & Dome	Cast Iron	Nickel Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Large Sump - Roof Drains**


**Specification:** RD-3180 series of dome type large sump roof drains consist of cast iron body with vertical outlet, a membrane clamp with integral gravel stop.



		WaterWay Area			
<b>Model Number</b>	Cl()	Optio	Options		
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	(mm)²	
RD-3183	75	3"	3″	83000	
RD-3184	110	4"	4"	83000	
RD-3186	160	6"	6"	83000	

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome(Secured)	Cast Iron	Nickel - Bronze
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Large Sump - Roof Drains**


**Specification:** RD-3180G series of dome type large sump roof drains consist of cast iron body with vertical outlet, a membrane clamp with integral gravel stop and stainless steel gravel guard.


#### **RD-3180G**



		WaterWay Area		
<b>Model Number</b>	Cl()	Optic	(mm) <sup>2</sup>	
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3183G	75	3"	3″	83000
RD-3184G	110	4"	4"	83000
RD-3186G	160	6"	6"	83000

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome (Secured)	Cast Iron	Nickel - Bronze
<b>Gravel Guard</b>	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Large Sump - Roof Drains**

**Specification:** RD-3180GX series of dome type large sump roof drains consist of cast iron body with vertical outlet, a membrane clamp with integral gravel stop and stainless steel gravel guard extension.


#### RD-3180GX



	Outlet Types			WaterWay Area
<b>Model Number</b>	Carlas (mm)	Options		(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3183GX	75	3"	3″	83000
RD-3184GX	110	4"	4"	83000
RD-3186GX	160	6"	6"	83000

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome (Secured)	Cast Iron	Nickel - Bronze
Gravel Guard	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Larg Sump - Roof Drains**

**Specification:** RD-3180EX series of dome type roof drains consist of cast iron large sump body with gasket type bottom outlet, membrane clamp with integral gravel stop, secured dome and adjustable extension.


#### **RD-3180EX**



	Outlet Types			WaterWay Area
<b>Model Number</b>		Options		(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3183EX	75	3"	3"	83000
RD-3184EX	110	4"	4"	83000
RD-3186EX	160	6"	6"	83000

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	Nickel - Bronze
Dome	Cast Iron	Nickel - Bronze
Extension	Cast Iron	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Larg Sump - Roof Drains**

**Specification:** RD-3180GEX series of dome type roof drains consist of cast iron large sump body with gasket type bottom outlet, membrane clamp with integral stop, secured dome, adjustable extension and stainless steel gravel guard.


#### **RD-3180GEX**



		WaterWay Area		
<b>Model Number</b>	Carlest (mm)	Options		(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3183GEX	75	3"	3″	83000
RD-3184GEX	110	4"	4"	83000
RD-3186GEX	160	6"	6"	83000

ltem	Material	Option
Body	Cast Iron	
Extension	Cast Iron	
Clamp & Dome	Cast Iron	Nickel - Bronze
<b>Gravel Guard</b>	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Larg Sump - Roof Drains**

**Specification:** RD-3180EXGX series of general purpose roof drain consist of large sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, non-puncturing membrane flashing clamp with integral gravel stop, adjustable extension sleeve, and stainless steel perforated extension.


#### **RD-3180EXGX**



	Outlet Types			WaterWay Area
<b>Model Number</b>	Model Number		Options	
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	(mmj <sup>*</sup>
RD-3183EXGX	75	3"	3″	83000
RD-3184EXGX	110	4"	4"	83000
RD-3186EXGX	160	6"	6"	83000

ltem	Material	Option
Body	Cast Iron	
Clamp & Dome	Cast Iron	Nickel - Bronze
Extension	Cast Iron	
Gravel Guard	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Large Sump - Over Flow Roof Drains**

**Specification:** RD-3180OF series of roof drain with with Over Flow consist of a large sump cast iron body with bottom outlet, a removable cast iron or Nickel bronze dome strainer, and integral combined standpipe type water dam and water proofing membrane non-puncturing clamp with integral gavel stop and adjustable extensive sleeve.


#### **RD-31800F**



	Outlet Types			WaterWay Area
<b>Model Number</b>	Cl()	Options		(mm)²
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-31830F	75	3"	3"	83000
RD-31840F	110	4"	4"	83000
RD-3186OF	160	6"	6"	83000

Item	Material	Option
Body	Cast Iron	
Overflow Clamp	Cast Iron	Nickel - Bronze
Dome	Cast Iron	Nickel - Bronze
Extension	Cast Iron	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Large Sump - Over Flow Roof Drains**

**Specification:** RD-3180EXOF series of roof drain with over flow consist of large sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, intergral combined standpipe type water dam and water proofing membrane non-puncturing clamp with integral gravel stop, and adjustable extension sleeve.


## **RD-3180EXOF**



		Outlet Types	WaterWay Area	
<b>Model Number</b>	Cl()	Options		(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3183EXOF	75	3"	3″	83000
RD-3184EXOF	110	4"	4"	83000
RD-3186EXOF	160	6"	6"	83000

ltem	Material	Option
Body	Cast Iron	
Extension	Cast Iron	
Clamp & Dome	Cast Iron	Nickel - Bronze
Gravel Guard	Stainless Steel	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3170R series of promenade or deck roof drain consist of a small sump cast iron body with bottom outlet, combined membrane flashing clamp and round frame, seepage openings, and ductile iron secured grate.


## **RD-3170R**



	Outlet Types			WaterWay Area		
<b>Model Number</b>	Cacket (man)		Options		(mm) <sup>2</sup>	
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	Threaded		
RD-3172R	50	2"	2"	2"	1710	
RD-3173R	75	3″	3″	3″	17100	
RD-3174R	110	4"	4"	4"	17100	

ltem	Material	Option
Body	Cast Iron	
Clamp & Frame	Cast Iron	
Grate (Secured) Ductile Iron		Cast Iron
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3170S series of promenade or deck roof drain consist of a small sump cast iron body with bottom outlet, combined membrane flashing clamp and square frame, seepage openings, and ductile iron secured grate.


## **RD-3170S**



Outlet Types			WaterWay Area	
acket (mm)		Options		(mm) <sup>2</sup>
asket (mm)	Gasket (Inch)	Spigot (inch)	Threaded	
50	2"	2"	2"	17300
75	3″	3"	3"	17300
110	4"	4"	4"	17300
	50 75	30 Gasket (Inch) 50 2" 75 3"	Options           Gasket (Inch)         Spigot (inch)           50         2"         2"           75         3"         3"	Options           Gasket (Inch)         Spigot (inch)         Threaded           50         2"         2"         2"           75         3"         3"         3"

Item	Material	Option
Body	Cast Iron	
Clamp / Frame	Cast Iron	
Grate (Secured)	Ductile Iron	Cast Iron
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-3190 series of promenade or deck roof drain consist of a large sump cast iron body with bottom outlet, combined non-puncturing membrane flashing clamp and rotatable square frame with seepage openings, fixing collar, and heavy duty ductile iron grate.



		Outlet Types	WaterWay Area (mm) <sup>2</sup>	
<b>Model Number</b>	Carlest (man)	Optio		
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3193	75	3"	3″	50200
RD-3194	110	4"	4"	50200
RD-3196	160	6"	6"	50200

ltem	Material	Option
Body	Cast Iron	
Clamp / Frame	Cast Iron	
Grate (Secured) Ductile Iron		Cast Iron
Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3190EX series of promenade or deck roof drain consist of a large sump cast iron body with bottom outlet, non-puncturing membrane flashing clamp, adjustable extension sleeve, rotatable square frame, fixing collar, and heavy duty ductile iron grate.


### **RD-3190EX**



		Outlet Types		
<b>Model Number</b>	Casket (mm)	Options		WaterWay Area (mmj²
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3193EX	75	3"	3″	50200
RD-3194EX	110	4"	4"	50200
RD-3196EX	160	6"	6"	50200

ltem	Material	Option
Body	Cast Iron	
Clamp / Frame	Cast Iron	
Grate (Secured)	Ductile Iron	Cast Iron
Extension Sleeve Cast Iron		
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Roof Deck Indirect Waste Receptor**


**Specification:** RD-3230 series of roof deck receptor consist of a cast iron funnel body with bottom outlet and small dome.



	Outlet Types	WaterWay Area	
Model Number	Gasket (mm)	(mm) <sup>2</sup>	
RD-3232	50	7000	
RD-3233	75	7000	

ltem	Material	Option
Body	Cast Iron	
Inside Dome	Cast Iron	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# **Roof Deck Indirect Waste Receptor**

**Specification:** RD-3240 series of roof deck receptor consist of a large sump cast iron body with bottom outlet, integral combined non-puncturing membrane flashing clamp and water dam, and a cast iron dome strainer.




		Outlet Types	WaterWay Area	
<b>Model Number</b>	Casket (mm)	Options		(mm) <sup>2</sup>
	Gasket (mm)	Gasket (Inch)	Spigot (inch)	
RD-3243	75	3"	3″	
RD-3244	110	4"	4"	
RD-3246	160	6"	6"	

ltem	Material	Option
Body	Cast Iron	
Clamp / Waterdam	Cast Iron	
Dome	Cast Iron	

Finish (C.I Parts)	Epoxy Coating	Powder Coating





**Specification:** RD-3250H series of roof drains consist of cast iron body with threaded horizontal outlet, membrane clamp and secured nickel bronze dome.

## **RD-3250H**




Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3252H	Threaded	2″	7500
RD-3253H	Threaded	3″	7500

ltem	Material	Option
Body	Cast Iron	
Clamp	Nickel - Bronze	
Dome	Nickel - Bronze	

Finish (C.I Parts)	<b>Epoxy Coating</b>	Powder Coating
(Nickel Bronze)	Satin Finish	





**Specification:** RD-3250V series of dome type roof drains consist of cast iron body with threaded vertical outlet membrane clamp and secured nickel bronze dome.


## **RD-3250V**



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3252V	Threaded	2"	7500
RD-3253V	Threaded	3"	7500

ltem	Material	Option
Body	Cast Iron	
Clamp	Nickel-Bronze	
Dome	Nickel-Bronze	
Finish (C.I Parts)	<b>Epoxy Coating</b>	Powder Coating
(Nickel Bronze)	Satin Finish	





**Specification:** RD-3250HG series of gutter or cornice drain consist of a small cast iron body with side outlet, a secured nickel bronze grate strainer, and nickel bronze membrane flashing clamp.

## **RD-3250HG**




Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3252HG	Threaded	2"	5400
RD-3253HG	Threaded	3"	5400

ltem	Material	Option
Body	Cast Iron	
Clamp	Nickel - Bronze	
Grate	Nickel - Bronze	

Finish (C.I Parts)	<b>Epoxy Coating</b>	Powder Coating
(Nickel Bronze)	Satin Finish	





**Specification:** RD-3250VG series of gutter or cornice drain consist of a small cast iron body with bottom outlet, a secured nickel bronze grate strainer, and nickel bronze membrane flashing clamp.


### **RD-3250VG**



Model Number	Outlet Type	Outlet size (Inch)	Water Way Area (mm²)
RD-3252VG	Threaded	2"	5400
RD-3253VG	Threaded	3"	5400

ltem	Material	Option
Body	Cast Iron	
Clamp	Nickel-Bronze	
Grate	Nickel-Bronze	
Finish (C.I Parts)	Epoxy Coating	Powder Coating
(Nickel Bronze)	Satin Finish	






**Specification:** RD-7110 series of down spout nozzles consist of nickel bronze body with threaded outlet and a wall flange.



Model Number	Outlet Type	Outlet size (Inch)	
RD-7112	Internal Threaded	2"	
RD-7113	Internal Threaded	3"	
RD-7114	Internal Threaded	4"	
RD-7116	Internal Threaded	6"	

Item	Material	Option
Body	Nickel Bronze	
Flange	Nickel Bronze	
Finish (N.B Parts)	Satin Finish	






**Specification:** RD-7120 series of vent cap consist of cast iron vandal proof vent cap and a cast iron body with hood.



Model Number	Outlet Type	Outlet size (Inch)	Outlet size (mm)
RD-7122	Hub Type	2"	50
RD-7123	HubType	3"	75
RD-7124	Hub Type	4"	110
FD-7126	HubType	6"	160

ltem	Material	Option
Body	Cast Iron	
Сар	Cast Iron	
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-7130 series of vent stack flashing sleeve consist of cast iron body with membrane flashing clamp.



Model Number	Outlet Type	Outlet size (Inch)	Outlet size (mm)
RD-7133	Inside Caulk	3"	75
RD-7134	Inside Caulk	4"	110

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	
Finish (C.I Parts)	Epoxy Coated	Powder Coating






**Specification:** RD-7140 series of down spout cover consist of nickel bronze flange and perforated hinged cover.



Model Number		Inlet size (Inch)	
RD-7142		2"	
RD-7143		3	
RD-7144		4"	
RD-7146		6"	
ltem	Material		Option

item	Material	Option
Flange	Nickel Bronze	
Cover	Nickel Bronze	
Finish (C.I Parts)	Epoxy Coating	Powder Coating






**Specification:** RD-7150 series of parapet sleeve consist of a tubular cast iron body, fixed combination flashing flange and membrane clamp and adjustable parapet wall flange.



Model Number	Outlet Type	Inlet size (Inch)	
RD-7154	Hub Type	4"	

ltem	Material	Option
Body	Cast Iron	
Clamp	Cast Iron	
Wall Flange	Cast Iron	
Finish (C.I Parts)	Epoxy Coated	Powder Coating






**Specification:** RD-7160 series of expansion joint consist of a cast iron body with adjustable bronze expansion sleeve and rubber gasket & collar.



Model Number	Outlet Type	Outlet size (Inch)	
RD-7162	Thread Type	2"	
RD-7163	Thread Type	3"	
RD-7164	Thread Type	4"	
RD-7166	Thread Type	6"	

ltem	Material	Option
Body	Cast Iron	
Collar	Cast Iron	
Expansion Sleeve	Nickel Bronze	
Finish (C.I Parts)	Epoxy Coating	Powder Coating





# FLOOR DRAINS

# SUB INDEX

#### Finished Interior Floor Drains











FD-4110RE







#### **Indirect Waste Drain**









Finished Interior Multi Inlet Drain



**Indirect Waste Drain** 

FD-4140 OS 69



FD-4130S





53

**DRAINS CATALOGUE** 

### Multi Inlet Drains

74

### Finished Interior - Trap Drains

## FD-4130SH



FD-4140S



FD-4140SB



FD-4140RB



FD-4150RB



#### **Area Drains**





75

FD-4170R



FD-4170RB



FD-4180R

FD-4180RB



FD-4180SB



80

FD-4210S



FD-4210SB



FD-4210R FD-4210RB

89



Area Drain - Deep Sump



## Receptor

FD-4190G



FD-4160DH



FD-4220V



FD4220H FD-4230



91

**Planting Drains** 

## Strainer - Finished Floor Drains

FD-6110S













### Stainer - Finished Floor Drains



FD-6140



FD-6160








54

**Specification:** FD-4110S series of floor drains consist of a cast iron body with bottom outlet, a reversible membrane clamp and an adjustable square nickel bronze or stainless steel strainer.

#### **FD-4110S**




	Outlet Types					
Model Number	Gasket (mm)	Options				
		Gasket (inch)	Spigot (inch)	Threaded		
FD-4112S	50	2"	2"	2"		
FD-4113S	75	3″	3″	3″		
FD-4114S	110	4"	4"	4"		

Strainer Size	Water Way Area (mm²)	Strainer Size	Water Way Area (mm²)
100x100mm	2390 mm <sup>2</sup>	150x150mm	8346 mm <sup>2</sup>
200x200mm	14548 mm <sup>2</sup>		

Ite	ltem		Material	Option	
Body 8	y & Collar Cast Iron (CI)		Cast Iron (CI)		
Strainer			Nickel Bronze (NB)	Stainless Steel (SS)	
	C.I Parts NI-BR Strainer		Epoxy Coating	Powder Coating	
Finish			Satin Finish	Polished	
	SS Strain	er	Polished	Satin Finish	





**Specification:** FD-4110SB series of floor drains consist of cast iron body with gasket type bottom outlet, reversible membrane clamp and adjustable square nickel bronze or stainless steel strainer with secured grate and bucket.

#### **FD-4110SB**




	Outlet Types				
Model Number	Gacket (mm)	Options			
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded	
FD-4112SB	50	2"	2"	2"	
FD-4113SB	75	3"	3"	3"	

Strainer Size	Water way Area	Strainer Size	Water way area
125x125mm	3020 mm <sup>2</sup>	150x150mm	3020 mm <sup>2</sup>

Item Mate		Material	Option		
Body 8	& Collar	Cast Iron (CI)			
Stra	Strainer		Nickel Bronze (NB)	Stainless Steel (SS)	
	C.I Parts		Epoxy Coating	Powder Coating	
Finish	NI-BR Strainer		Satin Finish	Polished	
	SS Strainer		Polished	Satin Finish	





**Specification:** FD-4110RB series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable round nickel bronze or stainless steel strainer with bucket.

## FD-4110RB




	Outlet Types					
Model Number	Gasket (mm)	Options				
	Gasket (IIIII)	Gasket (inch)	Spigot (inch)	Threaded		
FD-4112RB	50	2"	2"	2"		
FD-4113RB	75	3"	3"	3″		

Strainer Size	Water Way Area (mm²)	Strainer Size	Water Way Area (mm²)
125mm	3020 mm <sup>2</sup>	150mm	3020 mm <sup>2</sup>

lte	em		Material	Option
Body & Collar			Cast Iron (CI)	
Strainer			Nickel Bronze (NB)	Stainless Steel (SS)
	C.I Part	S	Epoxy Coating	Powder Coating
Finish	NI-BR Strainer		Satin Finish	Polished
	SS Strain	er	Polished	Satin Finish






**Specification:** FD-4110SH series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable square hinged nickel bronze strainer.

## FD-4110SH



			Outlet T	ypes		
Model N	umber	Gasket (mm)	Options			
		Gasket (mm)	Gasket (inch	) Spigot	(inch)	Threaded
FD-41	12SH	50	2"	2"		2"
FD-41	13SH	75	3"	3″		3"
FD-41	14SH	110	4" 4"			4"
Strain	er Size	Water Way Area (mm²)				
200x2	00mm	16483 mm²				
lte	em	Materia	ı		Optio	า
Во	dy	Cast Iron (	CI)			
Col	lar	Cast Iron (	on (CI)			
Stra	iner	Nickel Bronze	e (NB)			
Finish	C.I Parts	Epoxy Coat	ing	Pow	der Co	ating
Finish	Strainer	Satin Finis	sh	Polished		





**Specification:** FD-4110RH series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable round hinged nickel bronze strainer.


## **FD-4110RH**



	Outlet Types				
<b>Model Number</b>	Cook of (man)		Options		
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded	
FD-4112RH	50	2″	2"	2"	
FD-4113RH	75	3″	3"	3″	
FD-4114RH	110	4"	4"	4"	
Strainer Size	Water Way Area (mm²)				
215mm	17947 mm²				


ltem		Material	Option
Body		Cast Iron (CI)	
Co	llar	Cast Iron (CI)	
Stra	iner	Nickel Bronze (NB)	
Finish	C.I Parts	Epoxy Coating	Powder Coating
	Strainer	Satin Finish	Polished





**Specification:** FD-4110RE series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable rectangular nickel bronze strainer.

#### **FD-4110RE**




	Outlet Types					
Model Number	Gasket (mm)	Options				
		Gasket (inch)	Spigot (inch)	Threaded		
FD-4112RE	50	2"	2"	2"		
FD-4113RE	75	3″	3″	3"		
FD-4114RE	110	4"	4"	4"		
Strainer Size	Water Way Area					

Strainer Size	(mm²)	
300x 125mm	8604 mm <sup>2</sup>	
ltem	Material	Option

ltem		Material	Option	
Body		Cast Iron (CI)		
Collar		Cast Iron (CI)		
Strainer		Nickel Bronze (NB)		
Finish	C.I Parts	Epoxy Coating	Powder Coating	
	Strainer	Satin Finish	Polished	





**Specification:** FD-4110A series of floor drains consist of cast iron body with gasket type bottom outlet, reversible membrane clamp with seepage slots and adjustable nickel bronze angular strainer.


## FD-4110A



	Outlet Types					
<b>Model Number</b>	Cook of (man)		Options			
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded		
FD-4112A	50	2″	2"	2″		
FD-4113A	75	3″	3″	3″		
FD-4114A	110	4"	4"	4"		
Strainer Size	Water Way Area (mm²)					
147 x 128 mm	9500 mm <sup>2</sup>					

ltem		Material	Option	
Body		Cast Iron (CI)		
Collar		Cast Iron (CI)		
Strainer		Nickel Bronze (NB)		
Finish	C.I Parts	Epoxy Coating	Powder Coating	
Finish	Strainer	Satin Finish	Polished	





**Specification:** FD-4110D series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable dome type nickel bronze strainer.

**Strainer Size** 

## FD-4110D




	Outlet Types					
<b>Model Number</b>	Cocket (mm)	Options				
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded		
FD-4112D	50	2"	2"	2"		
FD-4113D	75	3″	3″	3"		
FD-4114D	110	4"	4"	4"		
	Water Way Area					
Strainer Size						

150	mm	/200mm	
ltem		Material	Option
Body		Cast Iron (CI)	
Collar		Cast Iron (CI)	
Strainer		Nickel Bronze (NB)	
Finish	C.I Parts	Epoxy Coating	Powder Coating
	Strainer	Satin Finish	Polished

(mm<sup>2</sup>)





**Specification:** FD-4110F series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable round nickel bronze or stainless steel strainer and funnel.

## FD-4110F




	Outlet Types				
Model Number	Gasket (mm)	Options			
		Gasket (inch)	Spigot (inch)	Threaded	
FD-4112F	50	2″	2"	2"	
FD-4113F	75	3″	3"	3″	
FD-4114F	110	4"	4"	4"	

Strainer Size	(mm²)	Strainer Size	(mm²)
125mm	3020mm <sup>2</sup>	150mm	3020 mm <sup>2</sup>
Funnel Dia	100 mm		
Item	Material		Option

Body & Collar		Cast Iron (CI)		
Strainer & Funnel		Nickel Bronze (NB)		Stainless Steel (SS)
Finish	C.I Part	s	Epoxy Coating	Powder Coating
	NI-BR Strainer		Satin Finish	Polished
	SS Strain	er	Polished	Satin Finish





**Specification:** FD-4110FR series of floor drains consist of cast iron body with gasket type bottom outlet, reversible membrane clamp with seepage slots and adjustable round funnel type nickel bronze strainer.


## FD-4110FR



	Outlet Types					
Model Number		Options				
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded		
FD-4112FR	50	2"	2"	2"		
FD-4113FR	75	3″	3″	3″		
FD-4114FR	110	4"	4"	4"		
Strainer Size	Water Way Area (mm²)					
150mm	4500mm <sup>2</sup>					

Ite	em	Material	Option
Во	dy	Cast Iron (CI)	
Со	llar	Cast Iron (CI)	
Stra	ainer	Nickel Bronze (NB)	
Einich	C.I Parts	Epoxy Coating	Powder Coating
Finish	Strainer	Satin Finish	Polished





**Specification:** FD-4110FS series of floor drains consist of a cast iron body with bottom outlet, a membrane clamp and an adjustable square nickel bronze or stainless steel strainer and funnel.

## **FD-4110FS**




	Outlet Types					
Model Number	Gasket (mm)	Options				
		Gasket (inch)	Spigot	(inch)	Threaded	
FD-4112FS	50	2″	2′	7	2"	
FD-4113FS	75	3″	3′	7	3″	
FD-4114FS	110	4"	4′	7	4"	
Strainer Size	Water Way Area	Strainer	Size		r Way Area	

	(111111)			(111111)
125mm	3020 mm <sup>2</sup>	150mm		3020 mm <sup>2</sup>
Funnel Dia	100 mm			
ltem	Material			Option
Body & Collar	Cast Iron (C	l)		

Strainer & FunnelNickel Bronze (NB)Stainless Steel (SS)FinishC.I PartsEpoxy CoatingPowder CoatingFinishNI-BR StrainerSatin FinishPolishedSS StrainerPolishedSatin Finish





**Specification:** FD-4110O series of indirect waste drains consist of a small sump cast iron body with bottom outlet, a reversible membrane flashing clamp with keyholes, three weep holes around the clamp, and an adjustable nickel bronze or stainless steel round strainer with oval funnel.

#### FD-41100




	Outlet Types					
Model Number	Gasket (mm)	Options				
		Gasket (inch)	Spigot (inch)	Threaded		
FD-41120	50	2"	2"	2″		
FD-4113O	75	3″	3"	3″		
FD-4114O	110	4"	4"	4"		

Water Way Area

Strain	er Size		(mm²)	Strainer Size		(mm²)
125	mm		3020 mm <sup>2</sup>	150mm		3020 mm <sup>2</sup>
Funne	l Dia		100 mm			
lte	em		Material		Option	
Body 8	Collar		Cast Iron (CI)			
Strainer	er & Funnel Nickel Bronze (NB) Stainless Ste		nless Steel (SS)			
	C.I Part	C.I Parts Epoxy Coating		ting	Powder Coating	
Finish NI-BR Strain		iner	Satin Finish		Polished	
	SS Strain	ner	Polishe	d	9	Satin Finish





**Specification:** FD-4110OS series of indirect waste drains consist of a small sump cast iron body with bottom outlet, a reversible membrane flashing clamp with keyholes, three weep holes around the clamp, and an adjustable nickel bronze or stainless steel square strainer with oval funnel.

## **FD-41100S**




	Outlet Types †					
<b>Model Number</b>	Gasket (mm)	Options				
		Gasket (inch)	Spigot (inch)	Threaded		
FD-4112OS	50	2″	2″	2"		
FD-4113OS	75	3"	3"	3"		
FD-4114OS	110	4"	4"	4"		

Strainer Size	Water Way Area (mm²)	Strainer Size	Water Way Area (mm²)
125mm	3020 mm <sup>2</sup>	150mm	3020 mm <sup>2</sup>
Funnel Dia	100 mm		

lte	ltem		Material	Option	
Body & Collar			Cast Iron		
Strainer & Funnel			Nickel Bronze	Stainless Steel	
	C.I Part	S	Epoxy Coating	Powder Coating	
Finish	NI-BR Stra	iner	Satin Finish	Polished	
	SS Strain	er	Polished	Satin Finish	





**Specification:** FD-4140FS series of trap floor drains consist of a cast iron combined floor drain and trap seal with trap primer connection, a reversible flashing clamp with weep holes, and an adjustable nickel bronze or stainless steel square strainer with round funnel.


## **FD-4140FS**



Model Number	Outlet & Inlet Type	Outlet Size	
		Inch	
FD-4143FS	No Hub	3″	
FD-4144FS	No Hub	4"	
Strainer Size	Water Way Area (mm²)	Strainer Size	Water Way Area (mm²)
125x125mm	3020 mm <sup>2</sup>	150x150mm	3020 mm <sup>2</sup>

Item		Material	Option
Body & Collar		Cast Iron (CI)	
Collar		Cast Iron (CI)	
Strainer	& Funnel	Nickel Bronze (NB)	Stainless steel (SS)
Finish	C.I Parts	Epoxy Coating	Powder Coating
FINISH	Strainer	Satin Finish	Polished






**Specification**FD-4140OS series of trap floor drains consist of a cast combined floor drain and trap seal with trap primer connection, a reversible flashing clamp with weep holes, and an adjustable nickel bronze or stainless steel square strainer with oval funnel.

## **FD-4140OS**



Model Number			Outlet Size						
		Outlet & Inlet Type		nch					
FD-41	43OS	No Hub	3″		3"		3"		
FD-41	44OS	No Hub	4"		4"		4"		
Strain	er Size	Water Way Area (mm²)	Strainer Size		Water Way Area (mm²)				
125x1	25mm	3020 mm <sup>2</sup>	150x150mm		3020 mm <sup>2</sup>				
Funne	el Dia	100 mm							
Ite	em	Material		Option					
Body		Cast Iron (C	I)						
Collar		Cast Iron (C	Cast Iron (CI)						
Strainer & Funnel		Nickel Bronze	(NB)	Stainless Steel (SS)					
Finish	C.I Parts	Epoxy Coati	•		wder Coating				
1 111131									





Finish (C.I Parts)

**Powder Coating** 

# Adjustable Hub - Floor Drains

**Specification:** FD-4110H is Cast Iron adjustable hub suitable with FD-5010S series


## FD-4110H (Hub)



Model Number		Outlet Type	
FD-4110H		Suitable with FD-5010 Series	
ltem		Material	Option
Hub		Cast Iron	

**Epoxy Coating** 





# **Finished Interior - Multi Inlet Floor Drain**

**Specification:** FD-4130S series of multi inlet floor drains consist of a cast iron combined floor drain and integral trap seal with (3) 2 inch auxiliary inlets, a reversible supporting collar with weep holes, and an adjustable nickel bronze or stainless steel square strainer.

SS Strainer

## **FD-4130S**




Model Number		Outlet & Inlet Type		Outlet Size		Inlet Size (Inch)
				Inch	Option	
					mm	
FD-4133S			No Hub	3"	75	2"
FD-4134S			No Hub	4"	110	2″
Strainer Size		W	ater Way Area (mm²)	Strainer Size		Water Way Area (mm²)
100x100mm			2400 mm <sup>2</sup>	150x150mm		8300 mm <sup>2</sup>
200x200mm			14500 mm²			
Item		Material		Option		
Body & Collar			Cast Iron (CI)			
Strainer			Nickel Bronze (NB)		Stainless Steel (SS)	
	C.I Parts		Epoxy Coating		Powder Coating	
Finish	NI-BR Strainer		Satin Finish		Polished	

Polished

Satin Finish





**Specification**: FD-4130SB series of multi inlet floor drains consist of cast iron combined floor drain and integral trap seal with (3) 2 inch auxiliary inlets, a reversible supporting collar with weep holes, and an adjustable nickel bronze or stainless steel square strainer with bucket.


#### FD-4130SB



Model Number	Outlet & Inlet Type	Outlet Size		Inlet Size (Inch)
	"	Inch	Option	
		Inch	mm	
FD-4133SB	No Hub	3″	75	2"
FD-4134SB	No Hub	4"	110	2"
Strainer Size	Water Way Area (mm²)	Straine	er Size	Water Way Area (mm²)
125x125mm	3020 mm <sup>2</sup>	150x150mm		3020 mm <sup>2</sup>

Item			Material	Option
Body & Collar			Cast Iron (CI)	
Stra	Strainer		Nickel Bronze (NB)	Stainless Steel (SS)
	C.I Part	S	Epoxy Coating	Powder Coating
Finish	NI-BR Strainer		Satin Finish	Polished
	SS Strain	er	Polished	Satin Finish





**Specification**: FD-4130RB series of multi inlet floor drain consist of a cast iron combined floor drain and integral trap seal with (3) 2 inch auxiliary inlets, a reversible supporting collar with weep holes, and an adjustable nickel bronze or stainless steel round strainer with bucket.


#### **FD-4130RB**



Model Number	Outlet & Inlet Type	Outlet Size		Inlet Size (Inch)
	7,1	Inch	Option	
			mm	
FD-4133RB	No Hub	3″	75	2"
FD-4134RB	No Hub	4"	110	2"
Strainer Size	Water Way Area (mm²)	Straine	er Size	Water Way Area (mm²)
125mm	3020 mm <sup>2</sup>	150mm		3020 mm <sup>2</sup>

Item N		Material	Option	
Body 8	Body & Collar		Cast Iron (CI)	
Stra	Strainer		Nickel Bronze (NB)	Stainless Steel (SS)
	C.I Part	S	Epoxy Coating	Powder Coating
Finish	NI-BR Strainer		Satin Finish	Polished
	SS Strainer		Polished	Satin Finish






**Specification:** FD-4130SH series of multi inlet floor drains consist of a cast iron combined floor drain and integral trap seal with (3) 2 inch auxiliary inlets, a reversible supporting collar with weep holes, and an adjustable nickel bronze square hinged strainer.

#### FD-4130SH



Model N	lumber	Outlet & Inlet Type	Outl	et Size	Inlet Size (Inch)
Wiodelli	lamber	,,,,,	Inch	Option	iniet Size (inien)
			Inch	mm	
FD-4	133SH	No Hub	3″	75	2"
FD-4	134SH	No Hub	4"	110	2"
Strain	er Size	Water Way Area (mm²)	Strainer Size		Water Way Area (mm²)
200;2	.00mm	16483 mm²			
ite	em	Material			Option
Body 8	k Collar	Cast Iron (C	I)		
Co	llar	Cast Iron (C	CI)		
Stra	iner	Nickel Bronze	(NB)		-
Finish	C.I Parts	Epoxy Coati	ng	Pow	der Coating
Fillish	Strainer	Satin Finish		l	Polished





Specification: FD-4130RH series of multi inlet floor drains consist of a cast iron combined floor drain and integral trap seal with (3) 2 inch auxiliary inlets, a reversible supporting collar with weep holes, and an adjustable nickel bronze round hinged strainer.


#### FD-4130RH



Model Number	Outlet & Inlet Type	Outlet Size		Inlet Size (Inch)
		To all	Option	,
		Inch	mm	
FD-4133RH	No Hub	3″	75	2"
FD-4134RH	No Hub	4"	110	2"
Strainer Size	Water Way Area (mm²)			
215mm	17947 mm²			
Item	Material			Option

Ite	em	Material	Option
Во	dy	Cast Iron (CI)	
Collar		Cast Iron (CI)	
Stra	iner	Nickel Bronze (NB)	
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Strainer	Satin Finish	Polished





Stainless steel (SS)

**Powder Coating** 

Polished

## **Finished Interior - Trap Floor Drain**

**Specification:** FD-4140S series of trap floor drains consist of a cast iron combined floor drain and trap seal with trap primer connection, a reversible flashing clamp with weep holes, and an adjustable nickel bronze or stainless steel square strainer.

**Strainer** 

**Finish** 

C.I Parts

Strainer

#### **FD-4140S**




Model Number	Outlet & Inlet Type	Out	let Size	
		I	nch	
FD-4143S	No Hub	3"		
FD-4144S	No Hub	4"		
Strainer Size	Water Way Area (mm²)	Strain	er Size	Water Way Area (mm²)
100x100mm	2400 mm <sup>2</sup>	150x1	I50mm	8300 mm <sup>2</sup>
200x200mm	14500 mm²			
Item	Material			Option
Body & Collar	Cast Iron (C	I)		
Collar	Cast Iron (C	T)		

Nickel Bronze (NB)

**Epoxy Coating** 

Satin Finish





### **Finished Interior - Trap Floor Drain**

**Specification:** FD-4140SB series of trap floor drains consist of a cast iron combined floor drain and trap seal with trap primer connection, a reversible flashing clamp with weep holes, and an adjustable nickel bronze or stainless steel square strainer with bucket.

Collar

Strainer

**Finish** 

C.I Parts

Strainer

#### FD-4140SB



		Outlet Size		
Model Number	Model Number Outlet & Inlet Type		nch	
FD-4143SB	No Hub	3″		
FD-4144SB	No Hub	4"		
Strainer Size	Water Way Area (mm²)	Strain	er Size	Water Way Area (mm²)
125mm	3020 mm <sup>2</sup>	150mm		3020 mm <sup>2</sup>
Item	Material			Option
Body & Collar	Cast Iron (CI)			

Cast Iron (CI)

Nickel Bronze (NB)


**Epoxy Coating** 

Satin Finish

Stainless Steel (SS)
Powder Coating

Polished





# **Finished Interior - Trap Floor Drain**

**Specification**FD-4140RB series of trap floor drains consist of a cast combined floor drain and trap seal with trap primer connection, a reversible flashing clamp with weep holes, and an adjustable nickel bronze or stainless steel round strainer with bucket.


#### **FD-4140RB**



		Outlet Size	
Model Number	Outlet & Inlet Type	Inch	
FD-4143RB	No Hub	3"	
FD-4144RB	No Hub	4"	
Strainer Size	Water Way Area (mm²)	Strainer Size	Water Way Area (mm²)
125mm	3020 mm <sup>2</sup>	150mm	3020 mm <sup>2</sup>

Item		Material	Option
Body		Cast Iron (CI)	
Co	llar	Cast Iron (CI)	
Stra	iner	Nickel Bronze (NB)	Stainless Steel (SS)
C.I Parts		Epoxy Coating	Powder Coating





## **Trap Floor Drain with Cleanout**

**Specification:** FD-4150RB series of trap floor drains consist of a cast iron combined floor drain and trap seal with trap primer connection, a reversible flashing clamp with weep holes, and an adjustable nickel bronze or stainless steel round floor cleanout round strainer with bucket.


#### FD-4150RB



Model Number	Outlet & Inlet Type	Outle	t Size	Inlet Size (Inch)
	~	Inch	Option	ì
		inch	mm	
FD-4153RB	No Hub	3"	75	2"
Strainer Size	Water Way Area (mm²)	Straine	er Size	Water Way Area (mm²)
100mm	3000 mm <sup>2</sup>	150r	nm	3000 mm <sup>2</sup>

Item		Material	Option
Body 8	र Collar	Cast Iron (CI)	
Stra	iner	Nickel Bronze (NB)	Stainless Steel (SS)
Cleano	ut Top	Nickel Bronze (NB)	Stainless Steel (SS)
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Strainer	Satin Finish	Polished





Specification: FD-4170S series of floor and area drains consist of a small sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, optional seepage openings (when used as floor drain), and an adjustable square strainer.

#### **FD-4170S**




	Outlet Types				
<b>Model Number</b>	Gasket (mm)	Options			
		Gasket (inch)	Spigot (inch)	Threaded	
FD-4172S	50	2"	2"	2"	
FD-4173S	75	3"	3″	3"	
FD-4174S	110	4"	4"	4"	

Strainer Size	Water Way Area (mm²)	Loading Capacity		
200x200mm	17300 mm <sup>2</sup>	Heavy Duty		Extra Heavy Duty
Item	Material			Option
Body	Cast Iron (C	I)		

**Water Way Area** 

Clamp & Frame Cast Iron (CI) Grate Ductile Iron (DI) Cast Iron (CI) **Epoxy Coating** Powder Coating C.I Parts **Finish Epoxy Coating** Strainer **Powder Coating** 





**Specification**: FD-4170SB series of floor and area drains consist of a small sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, a sediment bucket, optional seepage openings (when used as floor drain), and an adjustable square strainer.

#### FD-4170SB




	Outlet Types				
Model Number	Gasket (mm)	Options			
		Gasket (inch)	Spigot (inch)	Threaded	
FD-4172SB	50	2"	2"	2"	
FD-4173SB	75	3″	3″	3″	
FD-4174SB	110	4"	4"	4"	

Grate Size	Water Way Area (mm²)	<b>Loading Capacity</b>	
200x200mm	17300mm <sup>2</sup>	Heavy Duty	

Ite	em	Material	Option
Body & Clamp		Cast Iron (CI)	
Frame 8	k Bucket	Cast Iron (CI)	
Gra	ate	Ductile Iron (DI)	Cast Iron (CI)
Finish	C.I Parts	Epoxy Coating	Powder Coating
rinish	Grate	Epoxy Coating	Powder Coating





**Specification**: FD-4170R series of floor and area drains consist of small sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, optional seepage openings (when used as floor drain), and an adjustable round strainer.

#### **FD-4170R**




	Outlet Types				
Model Number	Gasket (mm)	Options			
		Gasket (inch)	Spigot (inch)	Threaded	
FD-4172R	50	2"	2"	2"	
FD-4173R	75	3"	3″	3"	
FD-4174R	110	4"	4"	4"	
	Water Way Are	a			

Strainer Size	(mm²)	Loading Capacity	
225mm	17100 mm²	Heavy Duty	
Thomas	No. of the		Ontion

Ite	em	Material	Option
Во	dy	Cast Iron (CI)	
Clamp 8	ያ Frame	Cast Iron (CI)	
Gra	ate	Ductile Iron (DI)	Cast Iron (CI)
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Grate	Epoxy Coating	Powder Coating





**Specification**: FD-4170RB series of floor and area drains consist of a small sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, a sediment bucket, optional seepage openings (when used as floor drain), and an adjustable round strainer.

#### **FD-4170RB**




	Outlet Types			
Model Number	Carlos (man)	Options		
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded
FD-4172RB	50	2"	2″	2"
FD-4173RB	75	3″	3"	3″
FD-4174RB	110	4"	4"	4"

Grate Size	Water Way Area (mm²)	<b>Loading Capacity</b>	
225mm	17300mm²	Heavy Duty	

Ite	em	Material	Option
Body &	Clamp	Cast Iron (CI)	
Frame 8	k Bucket	Cast Iron (CI)	
Gra	ate	Ductile Iron (DI)	Cast Iron (CI)
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Grate	Epoxy Coating	Powder Coating





**Specification:** FD-4180R series of floor and area drains consist of a large sump cast iron body with bottom outlet, a cast iron collar (serves as flange or flashing collar according to function), optional seepage openings (when used as floor drain) with round grate.

#### FD-4180R




Model Number	Outlet Type	Outlet Size		
Woder Number	outlet Type	mm	Inch	
FD-4183R	Gasket	75 mm	3"	
FD-4184R	Gasket	110 mm	4"	
FD-4186R	Gasket	160 mm	6"	

Grate Size	Water Way Area (mm²)	<b>Loading Capacity</b>	
280mm	23500 mm <sup>2</sup>	Heavy Duty	

Item		Material	Option
Body		Cast Iron (CI)	
Cla	ımp	Cast Iron (CI)	
Gr	ate	Ductile Iron (DI)	Cast Iron (CI)
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Grate	Epoxy Coating	Powder Coating





**Specification:** FD-4180RB series of floor and area drains consist of a large sump cast iron body with bottom outlet, a cast iron collar (serves as flange or flashing collar according to function), a sediment bucket, optional seepage openings (when used as floor drain) with round grate.

#### FD-4180RB




Model Number	Outlet Type	Outlet Size	
	outlet Type	mm	Inch
FD-4183RB	Gasket	75 mm	3"
FD-4184RB	Gasket	110 mm	4"
FD-4186RB	Gasket	160 mm	6"

Grate Size	Water Way Area (mm²)	<b>Loading Capacity</b>	
280mm	23500 mm <sup>2</sup>	Heavy Duty	

Item		Material	Option
Во	dy	Cast Iron (CI)	
Clamp 8	k Bucket	Cast Iron (CI)	
Gr	ate	Ductile Iron (DI)	Cast Iron (CI)
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Grate	Epoxy Coating	Powder Coating





Powder Coating

### **Area Drain**

**Specification:** FD-4180SB series of area drains consist of cast iron large sump body with gasket type bottom outlet, membrane clamp, bucket and square ductile iron hinged grate.

**Finish** 

Grate

#### FD-4180SB




Model Number	Outlet Type	Outlet Size (mm)
FD-4183SB	Gasket	75 mm
FD-4184SB	Gasket	110 mm
FD-4186SB	Gasket	160 mm

Grate	e Size	Water Way Area (mm²)	Loading	Capacity	
300	mm	32000 mm <sup>2</sup>	Heavy	y Duty	
Ite	em	Material			Option
Во	dy	Cast Iron			
Clamp 8	k Bucket	Cast Iron			
Gra	ate	Ductile Iror	า		Cast Iron
	C.I Parts	Epoxy Coati	ng	Po	wder Coating

**Epoxy Coating** 





**Specification**: FD-4210S series of floor and area drains consist of a deep sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, optional seepage openings (when used as floor drain), and an adjustable square strainer.

#### FD-4210S




	Outlet Types			
Model Number	Gasket (mm)	Options		
	Gasket (IIIII)	Gasket (inch)	Spigot (inch)	
FD-4212S	50	2″	2"	
FD-4213S	75	3″	3"	
FD-4214S	110	4"	4"	
FD-4216S	160	6"	6"	

Grate Size	Water Way Area (mm²)	Loading Capacity	
300x300mm	36500mm <sup>2</sup>	Heavy Duty	Extra Heavy Duty

Item		Material	Option
Body & Clamp		Cast Iron (CI)	
Frame & Bucket		Cast Iron (CI)	
Grate		Ductile Iron (DI)	Cast Iron (CI)
Einich	C.I Parts	Epoxy Coating	Powder Coating
Finish Grate		Epoxy Coating	Powder Coating





**Specification:** FD-4210SB series of floor and area drains consist of a deep sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, a sediment bucket, optional seepage openings (when used as floor drain), and an adjustable square strainer.

#### FD-4210SB




	Outlet Types			
Model Number	Gasket (mm)	Options		
		Gasket (inch)	Spigot (inch)	
FD-4212SB	50	2"	2"	
FD-4213SB	75	3"	3″	
FD-4214SB	110	4"	4"	
FD-4216SB	160	6"	6"	
		<u>'                                     </u>		

Strainer Size	(mm²)	Loading Capacity		
300x300mm	36500 mm <sup>2</sup>	Heavy Duty	Extra Heavy Duty	

Item		Material	Option
Во	dy	Cast Iron (CI)	
Clamp 8	ያ Frame	Cast Iron (CI)	
Gra	ate	Ductile Iron (DI)	Cast Iron (CI)
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish	Strainer	Epoxy Coating	Powder Coating





**Specification**: FD-4210R series of floor and area drains consist of a deep sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, optional seepage openings (when used as floor drain), and an adjustable round strainer.

#### FD-4210R




	Outlet Types			
Model Number	Gasket (mm)	Options		
		Gasket (inch)	Spigot (inch)	
FD-4212R	50	2"	2"	
FD-4213R	75	3″	3"	
FD-4214R	110	4"	4"	
FD-4216R	160	6"	6"	

Grate Size	Water Way Area (mm²)	<b>Loading Capacity</b>	<b>Loading Capacity</b>
225 dia	17100mm <sup>2</sup>	Heavy Duty	Extra Heavy Duty
300 dia	25300mm <sup>2</sup>	Heavy Duty	Extra Heavy Duty

Item		Material	Option
Body &	Clamp	Cast Iron (CI)	
Frame 8	k Bucket	Cast Iron (CI)	
Gra	ate	Ductile Iron (DI)	Cast Iron (CI)
C.I Parts		Epoxy Coating	Powder Coating
Finish	Grate	Epoxy Coating	Powder Coating





**Specification:** FD-4210RB series of floor and area drains consist of a deep sump cast iron body with bottom outlet, a combined membrane flashing clamp and round frame, a sediment bucket, optional seepage openings (when used as floor drain), and an adjustable round strainer.

#### **FD-4210RB**



	Outlet Types			
Model Number	Gasket (mm)	Options		
		Gasket (inch)	Spigot (inch)	
FD-4212RB	50	2"	2"	
FD-4213RB	75	3″	3"	
FD-4214RB	110	4"	4"	
FD-4216RB	160	6"	6"	

Strainer Size	(mm²)	Loading Capacity		Capacity
225 dia	17100 mm <sup>2</sup>	Heavy Duty		Extra Heavy Duty
300 dia	25300 mm <sup>2</sup>	Heavy Duty		Extra Heavy Duty
Item	Material			Option
Body	Cast Iron (CI)			


 Clamp & Frame
 Cast Iron (CI)

 Grate
 Ductile Iron (DI)
 Cast Iron (CI)

 Finish
 C.I Parts
 Epoxy Coating
 Powder Coating

 Strainer
 Epoxy Coating
 Powder Coating





# Area Drain - Deep Sump

Specification: FD-4160D series of area drains with vertical outlet consist of a cast iron body with sediment bucket and ductile iron hinged grate.

#### FD-4160D




Model Number	Outlet Type	Outlet Size (mm)
FD-4164D	No Hub	110 mm
FD-4166D	No Hub	160 mm

Grate Size	Water Way Area (mm²)	Loading Capacity	
300 x 300mm	22700 mm <sup>2</sup>	Heavy Duty	Extra Heavy Duty
Thoma	Matarial		Ontion

Item		Material	Option
Во	dy	Cast Iron (CI)	
Bud	ket	Cast Iron (CI)	
Gra	ate	Ductile Iron (DI)	Cast Iron (CI)
C.I Parts		Epoxy Coating	Powder Coating
Finish			





# Area Drain - Deep Sump

**Specification:** FD-4160DH series of area drains consist of cast iron body with "P" trap and PVC cleanout plug, sediment bucket with ductile iron hinged grate.

#### FD-4160DH



Model Number	Outlet Type	Outlet Size (mm)
FD-4164DH	No Hub	110
FD-4166DH	No Hub	160

Strainer Size	(mm²)	Loading Capacity		Capacity
300mm	22700mm <sup>2</sup>	Heavy Duty		Extra Heavy Duty
Item	Material			Option
Body	Cast Iron (C	I)		


 Body
 Cast Iron (CI)

 Bucket & Frame
 Cast Iron (CI)

 Grate
 Ductile Iron (DI)
 Cast Iron (CI)

 Finish
 C.I Parts
 Epoxy Coating
 Powder Coating





# **Area Drains - Large Sump**


**Specification:** FD-4220V series of area drains consist of a large sump cast iron body with bottom outlet and anchor flange, an extra heavy duty grate, and seepage openings.

#### FD-4220V



Model Number		Outlet Type			Outlet Size (Inch)		
FD-4224V		No Hub				4"	
Strain	er Size	Wat	ter Way Area (mm²) Loading Ca		Сар	acity	
310	mm	27	2000 mm²	Heavy	/ Dut	ty	
Item			Material				Option
Body			Cast Iron (CI)				
Grate			Cast Iron (CI)		Ductile Iron (DI)		
Finish	C.I Parts		Epoxy Coati	ng		Pov	wder Coating
FINISh							





# **Area Drain - Large Sump**


**Specification:** FD-4220H series of area drains consist of a large sump cast iron body with side outlet and anchor flange, an extra heavy duty grate, and seepage openings.

#### FD-4220H



Model Number		Outlet Type			Outlet Size (Inch)		
FD-4224H			No Hub			4"	
Strain	er Size	Wat	er Way Area (mm²)			acity	
310	mm	2	2000mm <sup>2</sup>	Heavy	y Du	ty	
Ite	em		Material				Option
Во	dy		Cast Iron (C	(CI)			
Grate			Ductile Iron (DI)		Cast Iron (CI)		
Finish	C.I Parts		Epoxy Coati	ng		Pov	wder Coating
FIIIISII							





# **Area Drains - Large Sump**

Specification: FD-4230 series of drains consist of a cast iron large sump body with no hub bottom outlet, sediment bucket, and ductile iron grate.

#### FD-4230



Model Number	Outlet Type	Outlet Size (Inch)
FD-4234	No Hub	4"
FD-4236	No Hub	6"

750x750mm	130000mm² Heavy		/ Duty	Extra Heavy Duty
Item	Material			Option
Body	Cast Iron (CI)			
Bucket	Cast Iron (CI)			

**Loading Capacity** 


Bucket Cast Iron (CI)

Grate Ductile Iron (DI) Cast Iron (CI)

C.I Parts Black Bitumin Epoxy Coating

Grate Black Bitumin Epoxy Coating





**Powder Coating** 

**Powder Coating** 

### Receptor

**Specification:** FD-4190G series of sanitary indirect waste receptor consist of a large sump boy with bottom outlet, a square grate, and a secondary dome strainer.

#### FD-4190G



Model Number	Outlet Type	Outlet Size (mm)
FD-4193G	Gasket	75mm
FD-4194G	Gasket	110 mm

Size	(mm²)	Loauing	Capacity	
305 x 305mm	29000mm²	Omm² Heavy		
Item	Material			Option
Body	Cast Iron (CI)			
Dome	Cast Iron (CI)			
Grate	Ductile Iron (DI)		С	ast Iron (CI)

**Epoxy Coating** 

**Epoxy Coating** 


C.I Parts

Dome

**Finish** 

Water Way Area





# **Planting Drain**

**Specification**: FD-4310 series of planting drains consist of a small sump cast iron body with bottom outlet, a reversible membrane flashing clamp with keyholes, three weep holes around the clamp, and a nickel bronze perforated standpipe with dome cap.




	Outlet Types					
Model Number	Gasket (mm)	Options				
		Gasket (inch)	Spigot (inch)	Threaded		
FD-4312	50	2"	2"	2"		
FD-4313	75	3"	3″	3″		
FD-4314	110	4"	4"	4"		

Strainer Size	Water Way Area (mm²)	
dia 50mm	2460 mm²	
Lenath 160mm		

Ite	em	Material	Option
Body		Cast Iron (CI)	
Clamp		Cast Iron (CI)	
Standpip	e & Dom	e Nickel Bronze (NB)	
Finish	C.I Parts	Epoxy Coating	Powder Coating
Finish			





## **Planting Drain**

**Specification:** FD-4320 series of planting drains consist of a small sump cast iron body with bottom outlet, a removable cast iron or nickel bronze dome strainer, a membrane flashing clamp with integral gravel stop and mesh covering the dome.




	Outlet Types					
<b>Model Number</b>	Cock of (mm)	Options				
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded		
FD-4322	50	2"	2"	2"		
FD-4323	75	3"	3″	3″		
FD-4324	110	4"	4"	4"		

Strainer Size	water way Area (mm²)	
200mm	30000 mm <sup>2</sup>	

Item		Material	Option
Body		Cast Iron (CI)	
Clamp & Dome		Cast Iron (CI)	Nickel Bronze (NB)
Me	esh	Stainless Steel (SS)	Nickel Bronze (NB) / Bronze
C.I Parts		Epoxy Coating	Powder Coating
Finish			





## **Planting Drain**

Specification: FD-4320GX series of planting drains consist of a small sump cast iron body with bottom outlet, a removable cast iron, or nickel bronze dome strainer, membrane flashing clamp with integral gravel stop, stainless steel perforated extension, and stainless steel mesh covering the dome.


#### FD-4320GX



		Outlet Ty	pes				
Model Number	Cook of (mm)	Options					
	Gasket (mm)	Gasket (inch)	Spigot (inch)	Threaded			
FD-4322GX	50	2"	2"	2"			
FD-4323GX	75	3″	3″	3″			
FD-4324GX	110	4"	4"	4"			
Strainer Size	Water Way Are (mm²)	a					
200mm	30000 mm <sup>2</sup>						

Item		Material	Option
Body		Cast Iron (CI)	
Clamp &	ያ Dome	Cast Iron (CI)	Nickel Bronze (NB)
Mesh & I	Extension	Stainless Steel (SS)	Nickel-Bronze (NB) /Bronze
C.I Parts		Epoxy Coating	Powder Coating
Finish			





Grate

Stainless Steel (SS)

# **Strainer - Finished Floor Drains**

**Specification:** FD-6110 series of finished area floor drains consist of brass or stainless steel body, drop in grate, and drop in cover.

#### FD-6110



Model Number	Outlet Type	Outlet Size (mm)
FD-6112/15	Hub Type	50 mm
FD-6113/15	Hub Type	75 mm
FD-6114/15	Hub Type	110 mm
FD-6114/20	Hub Type	110 mm

Woder Walliber	body 512c Wibuei		Nullibel	Dody 5ize
FD-6112/15	150 mmx150mm	FD-6113/15		150mm x 150mm
FD-6114/15	150 mmx150mm	FD-6114/20		200mm x 200mm
Item	Material			Option
Body	Brass		Stair	nless Steel (SS)


 Cover
 Brass
 Stainless Steel (SS)

 Finish
 Brass
 Nickel Chrome Plated
 Polished

 S. Steel
 Polished
 Satin Finish

Brass





# **Strainer - Finished Floor Drains**

**Specification:** FD-6110S series of finished area floor drains consist of brass or stainless steel body, secured grate, and drop in cover.

**Finish** 

S. Steel

#### **FD-6110S**




Mod	Model Number		Outlet Type			Outlet Size (mm)	
FD	-6114S/1	5	Hub Type			110 mm	
Model	Number	Вс	ody Size	Model	Nui	mber	Body Size
FD-61	14/15	150 ı	mmx150mm				
Ite	em		Material		Option		Option
Во	dy		Brass		Stainless Steel (SS)		nless Steel (SS)
Gra	ate	Brass			Stainless Steel (SS)		nless Steel (SS)
Co	ver		Brass		Stainless Steel (SS)		
				Nickel Chrome Plated			

Polished

Satin Finish





## **Strainer - Finished Floor Drains**


**Specification:** FD-6120 series finished area floor drains consist of brass or stainless steel body with threaded secured grate.




Model Number	Outle	Outlet Type		utlet Size (mm)
FD-6124/15	Hub Type		110 mm	
FD-6124/20	Hub	Hub Type		110 mm
Model Number	Body Size	Model Nu	mber	Body Size

FD-6124/15	150 mmx150mm	150 mmx150mm FD-61		200mm x 200mm
Item	Material			Option
Body	Brass		Stainless Steel (SS	
Grate	Brass		Stainless Steel (SS)	

Finish	Brass	Nickel Chrome Plated	Polished	
Finish	S. Steel	Polished	Satin Finish	






DIMENOIONO IN						
DIMENSIONS IN mm.						
Detai.	D	D1	D2	H1	H2	
mm	110	150	110	20	3	

# **Strainer - Finished Floor Drains**

Specification: FD-6140 series of finished area floor drains consist of nickel bronze body, secured grate, and drop in cover.

#### FD-6140




Model Numbe	r	Outlet	Туре	0	utlet Size (mm)
FD-6144/15		Hub Type		110 mm	
FD-6144/20		Hub Type		110 mm	
Model Number Body Siz		ody Size	Model Nu	mber	Body Size

FD-6144/15	150 mmx150mm	FD-6	144/20	200 mmx200mm
Item	Material			Option

**Body** Nickel Bronze (NB) Grate Nickel Bronze (NB) Cover Nickel Bronze (NB) Satin Finish Polished NB **Finish** 







## **Strainer - Finished Floor Drain**

**Specification:** FD-6160 series of finished area floor drains consist of nickel bronze or stainless steel body with secured grate.



Mod	Model Number		Outle	t Type		Outlet Size (mm)
FC	0-6164		Hub Type			110 mm
Straine	er Size		'Way Area mm²)			
150 x 1	50mm	83	45 mm²			
lte	m		Material			Option
Во	dy	Nic	kel Bronze (N	II-BR)	S	tainless Steel (SS)
Gra	ite	Nic	Nickel Bronze (NI-BR)		S	tainless Steel (SS)
Finish	NI-BR St	rainer	Satin Finish		Polished	
Finish	SS Stra	iner	Polish	ned		Satin Finish






## **Finished Floor Drains**


**Specification:** FD-6210 series of shower drain consist of stainless steel body, grate and PVC back flow preventer.

Finish



Model Number			Outlet Type			Outlet Size (mm / Inch)		
FD-6212			No Hub			50 mm / 2"		
Model Number			Size					
FD-6212		106 mmx106mm						
Item		Material				Option		
Body		Stainless Steel (SS)						
Grate		Stainless Steel (SS)						
Back Flow Preventer		PVC						
S. Steel			Polished					






### **Finished Floor Drain**

Specification: FD-6220 series nickel bronze shower drains consist of nickel bronze body, grate and PVC back flow preventor.



Model Number			Outle	t Type	Outle	Outlet Size (mm / Inch)		
FD-6222		No Hub		50 mm / 2"				
Model Number		Size						
FD-6222		100 mmx100mm						
Item		Material			Option			
Body		Nickel Bronze (NB)						
Grate		Nickel Bronze (NB)						
Back Flow Preventer		PVC						
Finish	NI-BR		Satin Finish		Polished			
Finish								






**Specification:** FD-4170SR series of area drains consist of a cast iron body with bottom outlet and a secured grate .

#### **FD-4170SR**



Мос	del Numb	er	Outle	t Type	0	Outlet Size (mm)		
FD	)-4173SR		Gasket			75mm		
FD-4174SR			Gasket		110 mm			
Grate Size		Wat	Water Way Area (mm²)					
200x200mm		1	17300mm²					
Item			Material		Option			
Body		Cast Iron						
Grate		Ductile Iron		n	Cast Iron			
Finish	C.I Parts		Epoxy Coating		Pov	Powder Coating		
rillisii	Grate		Epoxy Coating		Powder Coating			





# CLEANOUTS

# SUB INDEX

### **Finished Floor Cleanouts**









**Area Cleanouts** 

117



#### **Finished Floor Cleanouts**









Tee Cleanouts



Recessed Floor Cleanouts









Wall Cleanouts



Wall Cleanouts











**Specification:** CD-5110S series of cleanouts consist of cast iron body with an adjustable square nickel bronze or stainless steel top with scoriated cover and clean out plug.

#### **CD-5110S**




Model Number	Outlet Type	Outlet Size (mm)
CD-5112S	Gasket	50 mm
CD-5113S	Gasket	75 mm
CD-5114S	Gasket	110 mm
CD-5116S	Gasket	160 mm

Model Number	Top Cover Size	Model Number	Top Cover Size
CD-5112S	100 mmx100mm	CD-5114S	125 or 150 or 200 mm <sup>2</sup>
CD-5113S	150mm	CD-5116S	150mm <sup>2</sup> or 200mm <sup>2</sup>

Ite	Item		Material	Option
Во	Body		Cast Iron	
Top 8	k Plug	Nickel Bronze (NI-BR)		Stainless Steel (SS)
	C.I Part	s	Epoxy Coating	Powder Coating
Finish	NI-BR Stra	iner	Satin Finish	Polished
	SS Strain	er	Polished	Satin Finish





**Specification:** CD-5110R series of cleanouts consist of cast iron body with an adjustable round nickel bronze or stainless steel top with scoriated cover and clean out plug.


### **CD-5110R**



Model Numb	er	Outle	t Type	0	utlet Size (mm)
CD-5112R		Gasket		50 mm	
CD-5113R	113R Gasket			75 mm	
CD-5114R		Ga	sket		110 mm
CD-5116R	1	Ga	asket		160 mm
Model Number	Тор	Cover Size	Model Nu	mber	Top Cover Size
CD-6012R		100mm	CD-601	4R	125mm or 150mm

	001211		100111111		001111	
CD-	6013R		115m	CD-6016R		150mm or 200mm
Ite	Item		Material			Option
Вс	Body		Cast Iron			
Top 8	દ્રે Plug	Nickel Bronze (NI-BR		NI-BR)	Stair	nless Steel (SS)
	C.I Parts	Epoxy Coating		iting	Pov	wder Coating
Finish	NI-BR Strai	iner Satin Fini		ish		Polished
	SS Strain	er Polished		d	9	Satin Finish





Specification: CD-5120S series of cleanouts consist of cast iron body with gasket type bottom outlet, a membrane flashing clamp and adjustable square nickel bronze or stainless steel top with plug.

#### **CD-5120S**




	Outlet Types					
<b>Model Number</b>	Gasket (mm)	Options				
	Gasket (mm)	Gasket (inch)	Spigot (inch)			
CD-5122S	50	2"	2"			
CD-5123S	75	3″	3"			
CD-5124S	110	4"	4"			

Model Number	Top Size	Model Number	Top Size
CD-5122S	100mm <sup>2</sup>	CD-5123S	115,150 mm <sup>2</sup>
CD-5124S	125,150 mm <sup>2</sup>		

Item		Material		Option
Body &	Body & Clamp		Cast Iron	
Top 8	k Plug	Nickel Bronze (NI-BR)		Stainless Steel (SS)
	C.I Parts		Epoxy Coating	Powder Coating
Finish	NI-BR Top		Satin Finish	Polished
	SS Top		Polished	Satin Finish





**Specification**: CD-5120R series of cleanouts consist of a cast iron body with gasket type bottom outlet, a membrane clamp adjustable round nickel bronze or stainless steel top with scoriated cover and clean out plug.

### **CD-5120R**




	Outlet Types					
Model Number	Gasket (mm)	Options				
		Gasket (inch)	Spigot (inch)			
CD-5122R	50	2"	2"			
CD-5123R	75	3"	3"			
CD-5124R	110	4"	4"			

Model Number	Top Cover Size	Model Number	Top Cover Size
CD-5122R	100mm	CD-5123R	125 or 150 mm
CD-5124R	125 or 150mm		

Ite	Item Material		Material	Option	
Body &	dy & Clamp		Cast Iron		
Top 8	د Plug	Nickel Bronze (NI-BR)		Stainless Steel (SS)	
	C.I Parts	5	Epoxy Coating	Powder Coating	
Finish	NI-BRTop		Satin Finish	Polished	
	SS Top		Polished	Satin Finish	





**Specification:** CD-5110HS series of cleanouts consist of nickel bronze body with hub connection and plug.

#### **CD-5110HS**




Model Number	Outlet Type	Outlet Size (mm)
CD-5112HS	Hub	50
CD-5113HS	Hub	75
CD-5114HS	Hub	110

Model Number	Top Cover Size	Model Number	Top Cover Size
CD-5112HS	150mm	CD-5113HS	150mm
CD-5114HS	150mm		

Ite	em	Material	Option
Во	dy	Nickel Bronze	Stainless Steel
Pl	ug	Nickel Bronze	Stainless Steel
Co	ver	Nickel Bronze	Stainless Steel
Finish	Тор	Satin Finish	Polished
Finish			





**Specification:** CD-6130 series consist of brass or stainless steel body and threaded sealed cover with a galvanized key.

### CD-6130




Model Number	Outlet Type	Outlet Size (mm)
CD-6133/15	Hub Type	75
CD-6134/15	Hub Type	110
CD-6134/20	Hub Type	110

Model Number	Size (mm)	Model Number	
CD-6133/15	150 x 150mm	CD-6134/15	150 x 150mm
CD-6134/20	200 x 200mm		

Item		Material	Option
Во	dy	Brass	Stainless Steel, Nickel bronze
Co	ver	Brass	Stainless Steel, Nickel bronze
K	ey	Galvanized	
	Brass	Nickel Chrome Plated	Satin / Polished
Finish	S. Steel	Polished	Satin Finish
	NI-BR	Satin Finish	Polished





**Specification:** CD-6130S series consist of brass or stainless steel body and screw secured cover.

**Finish** 

S. Steel

#### **CD-6130S**




Mod	Model Number		Outlet Type			Outlet Size (mm)	
CD	9-6134S		Hul	ηρ			110
Model I	Number	Тор	Cover Size	Model Number		ber	Top Cover Size
CD-6	134S	150	0x150 mm				
Ite	em		Material		Option		Option
Во	Body		Brass		Stainless Steel		nless Steel
Cov	/er		Brass		Stainless Steel		nless Steel
Scr	ew		Stainless Steel				
Finish	Brass	Nie	ckel Chrome I	Plated		Sat	in / Polished

Polished

Satin Finish





**Plug Size** 

# **Area Cleanouts**

**Specification:** CD-5110P series of cleanouts consist of a cast iron body with nickel bronze or stainless steel plug and rubber seal.

**Model Number** 

#### **CD-5110P**



Model Number	Outlet Type	Outlet Size (mm)
CD-5113P	Gasket	75 mm
CD-5114P	Gasket	110mm
CD-5116P	Gasket	160mm

CD-5112P	1.5" BSP	CD-	5113P	2.0" BSP
CD-5114P	3.5" BSP	CD-	-5116P	5" BSP / 5.5
Item	Material			Option
_	Cast Iron			
Body	Cast Iron			

**Model Number** 


**Plug Size** 

 Seal
 Rubber

 Finish
 C.I Parts
 Epoxy Coating
 Powder Coating

 Plug
 Cast Finish





### **Area Cleanouts**

**Specification:** CD-5110RC series of cleanouts consist of a cast iron body with adjustable round cast iron top with scoriated cover and nickel bronze clean out plug.

**Model Number** 

CD-5114RC

**Finish** 

Top

#### **CD-5110RC**



Model Number	Outlet Type	Outlet Size (mm)
CD-5114RC	Gasket	110 mm
CD-5116RC	Gasket	160 mm

Ite	em	Material	Option
Во	dy	Cast Iron	
To	op	Cast Iron	
Pl	ug	Nickel Bronze	Stainless Steel
	C.I Parts	Epoxy Coating	Powder Coating

**Epoxy Coating** 

**Model Number** 

CD-5116RC

**Top Cover Size** 


130mm

**Powder Coating** 

**Top Cover Size** 

130mm





### **Area Cleanouts**

**Specification:** CD-5120RC series of cleanouts consist of cast iron body with gasket type bottom outlet, a membrane flashing clamp and adjustable round cast iron top with nickel bronze plug.

#### **CD-5120RC**




	Outlet Types			
Model Number	Gasket (mm)	Options		
		Gasket (inch)	Spigot (inch)	
CD-5122RC	50	2"	2"	
CD-5123RC	75	3″	3″	
CD-5124RC	110	4"	4"	

<b>Model Number</b>	Top Cover Size	Model Number	Top Cover Size
CD-5122RC	130 mm	CD-5123RC	130 mm
CD-5124RC	130 mm		

Item		Material	Option
Body & Clamp		Cast Iron	
To	р	Cast Iron	
Plug		Nickel Bronze	Stainless Steel
Finish	C.I Parts	Epoxy Coating	Powder Coating
	Тор	Epoxy Coating	Powder Coating





# **Recessed Floor Cleanouts**


**Specification:** CD-5110SR series of cleanouts consist of cast iron body with gasket type bottom outlet and adjustable nickel bronze recessed type top with plug.

### **CD-5110SR**



Model Number		Outlet Type			Outlet Size (mm)	
CE	)-5114SR		Gas	sket		110 mm
CE	)-5116SR		Gas	sket		160 mm
Model Number Top		Cover Size			T. C C.	
Model	Mullibel	ТОР	Cover Size	Model	Numbei	Top Cover Size
	114SR	100	150mm		116SR	150mm
		ТОР				
	114SR	ТОР				
CD-5	114SR	ТОР	150mm			150mm
CD-5	114SR	ГОР	150mm Material	CD-5		150mm
CD-5	114SR em dy	Тор	150mm  Material  Cast Iron	CD-5		150mm
CD-5	114SR em dy		150mm  Material  Cast Iron  Nickel Bronz	CD-5	116SR	150mm





### **Recessed Floor Cleanouts**

**Specification**: CD-5120SR series of cleanouts consist of cast iron body, membrane clamp with bottom outlet, an adjustable nickel bronze recessed type top with plug.


### **CD-5120SR**



	Outlet Types			
<b>Model Number</b>	Carlest (mm)	Optio	ons	
	Gasket (mm)	Gasket (inch)	Spigot (inch)	
CD-5122SR	50	2"	2″	
CD-5123SR	75	3"	3″	
CD-5124SR	110	4"	4"	
Model Number	Top Cover Size	Model Number	Top Cover Size	
CD-5122SR	150mm	CD-5123SR	150mm	
CD [124CD	1 5 0 ma ma			


CD-5124SR		150mm	
Item		Material	Option
Body		Cast Iron	
To	ор	Nickel Bronze	
Pl	ug	Nickel Bronze	
Finish	C.I Parts	Epoxy Coating	Powder Coating
rinisn	Ton	Catin Finials	Polished





**Specification:** CD-5110W series of cleanouts consist of cast iron body with anchor lugs , and a counter sunk plug.

#### **CD-5110W**




Model Number	Outlet Type	Outlet Size (Inch)
CD-5112W	No Hub	2"
CD-5113W	No Hub	3"
CD-5114W	No Hub	4"

Model Number	Plug Size	Model Number	Plug Size
CD-5112W	1.5 BSP	CD-5114W	3.5 BSP
CD-5113W	2.5 BSP		

Item		Material	Option
Body		Cast Iron	
Plug		Nickel Bronze	Stainless Steel
Finish	C.I Parts	Epoxy Coating	Powder Coating
	Plug	Cast Finish	





**Specification:** CD-5110WS series of wall cleanouts consist of a cast iron body, square nickel bronze or stainless steel cover and frame with anchor lugs and a counter sunk plug.

### **CD-5110WS**




Model Number	Outlet Type	Outlet Size (Inch)
CD-5112WS	No Hub	2"
CD-5113WS	No Hub	3″
CD-5114WS	No Hub	4"

Model Number	Plug Size	Model Number	Plug Size
CD-5112WS	1.5 BSP	CD-5114WS	3.5 BSP
CD-5113WS	2.5 BSP		

Item		Material	Option
Body		Cast Iron	
Plug		Nickel Bronze	Stainless Steel
Cover	& Frame	Nickel Bronze	Stainless Steel
Finish	C.I Parts	Epoxy Coating	Powder Coating
	Cover	Satin Finish	Polished





Specification: CD-5110WR series of wall cleanouts consist of a cast iron body, round nickel bronze or stainless steel cover and frame with anchor lugs and a nickel bronze counter sunk plug.

#### **CD-5110WR**




Model Number	Outlet Type	Outlet Size (Inch)
CD-5112WR	No Hub	2"
CD-5113WR	No Hub	3″
CD-5114WR	No Hub	4"

Model Number	Top Cover Size	Model Number	Top Cover Size
CD-5112WR	1.5 BSP	CD-5114WR	3.5 BSP
CD-5113WR	2.5 BSP		

Item		Material	Option	
Body		Cast Iron		
PI	ug	Nickel Bronze	Stainless Steel	
Cover 8	k Frame	Nickel Bronze	Stainless Steel	
Finish	C.I Parts	Epoxy Coating	Powder Coating	
Finish	Cover	Satin Finish	Polished	





**Specification:** CD-5110WRC series of wall cleanouts consist of cast iron body adaptable to pipe with anchor lugs and nickel bronze plug with center screw secured round cover.

### **CD-5110WRC**




Model Number	Outlet Type	Outlet Size (Inch)
CD-5112WRC	No Hub	2"
CD-5113WRC	No Hub	3"
CD-5114WRC	No Hub	4"

Model Number	Plug Size	Model Number	Plug Size
CD-5112WRC	1.5 BSP	CD-5114WRC	3.5 BSP
CD-5113WRC	2.5 BSP		

Item		Material	Option	
Body		Cast Iron		
Plug		Nickel Bronze	Stainless Steel	
		Nickel Bronze	Stainless Steel	
Finish	C.I Parts	Epoxy Coating	Powder Coating	
Finish	Cover	Satin Finish	Polished	





Cover						
	Size	Nickel - Bronze (NB)		Stainless Steel (SS)		
Model No	Recommended	Thickness	Finishing	Thickness	Finishing	
5112WRC	5"		Satin	3 mm	Polished	
5113WRC	5″	3 mm	or	/	or	
5114WRC	7"		Polished	1 mm	Satin	

Specification: CD-5110T series of cleanouts consist of cast iron tee type body, with spigot connection and nickel bronze or stainless steel plug.

### **CD-5110T**




Model Number	Outlet Type	Outlet Sze (Inch)	A (mm)	B (mm)
CD-5113T	Spigot	3"	197	64
CD-5114T	Spigot	4"	225	76

Model Number	Plug Size	Model Number	Plug Size
CD-5113T	2.5 BSP	CD-5114T	3.5 BSP

Item		Material	Option	
Body		Cast Iron		
Plug		Nickel Bronze	Stainless Steel	
Finish	C.I Parts	Epoxy Coating	Powder Coating	
Finish	Plug	Cast Finish		





**Specification:** CD-5110TS series of wall cleanouts with square cover consist of cast iron tee type body, with spigot connection and nickel bronze or stainless steel square cover and frame with plug.

#### **CD-5110TS**




Model Number	Outlet Type	Outlet Sze (Inch)	A (mm)	B (mm)
CD-5113TS	Spigot	3"	197	64
CD-5114TS	Spigot	4"	225	76

<b>Model Number</b>	Plug Size	Model Number	Plug Size
CD-5113TS	2.5 BSP	CD-5114TS	3.5 BSP

Item Material		Material	Option	
Вс	<b>Body</b> Cast Iron			
P	Plug		Nickel Bronze	Stainless Steel
Cover & Frame			Nickel Bronze	Stainless Steel
C.I Par		ts	Epoxy Coating	Powder Coating
Finish	Cover&Fr	ame	Satin Finish	Polished





Specification: CD-5110TR series of wall cleanouts with round cover cleanouts consist of cast iron tee type body, with spigot connection and nickel bronze or stainless steel plug with round cover & frame.

#### **CD-5110TR**




Model Number	Outlet Type	Outlet Sze (Inch)	A (mm)	B (mm)
CD-5113TR	Spigot	3"	197	64
CD-5114TR	Spigot	4"	225	76

Model Number	Plug Size	Model Number	Plug Size
CD-5113TR	2.5 BSP	CD-5114TR	3.5 BSP

Item		Material		Option	
Body		Cast Iron			
Plug		Nickel Bronze		Stainless Steel	
Cover & Frame		Nickel Bronze		Stainless Steel	
Finish	C.I Par	ts	Epoxy Coating	Powder Coating	
FIIIISII	Cover& Frame		Satin Finish	Polished	





**Specification:** CD-5110TRC series of wall cleanouts consist of cast iron tee type body, with spigot connection and nickel bronze plug with Center screw secured round cover.

### **CD-5110TRC**




Model Number	Outlet Type	Outlet Sze (Inch)	A (mm)	B (mm)
CD-5113TRC	Spigot	3"	197	64
CD-5114TRC	Spigot	4"	225	76

Model Number	Plug Size	Model Number	Plug Size
CD-5113TRC	2.5 BSP	CD-5114TRC	3.5 BSP

	Body Plug Cover		Material Option	
			Cast Iron	
			Nickel Bron Stainless Steel	
			Nickel Bronze	Stainless Steel
	Finish	C.I Parts	Epoxy Coating	Powder Coating
	Finish	Cover	Satin Finish	Polished





Cover					
	Size	Nickel - Bronze (NB)		Stainless Steel (SS)	
Model No	Recommended	Thickness	Finishing	Thickness	Finishing
5113TRC	5″	3 mm	Satin or	3 mm /	Polished or
5114TRC	7"	3 111111	Polished	1 mm	Satin